

INDEX MAPS.

T. 13N, R. 5E. 2nd Mer.

| | 153-156 | 153-156 | 153-156 | 154-155 | 154-155 | 154 | | | | | | |
|-----|---------|---------|---------|---------|---------|-----|-----|-----|-----|-----|-----|-----|
| 158 | 6 | 181 | 5 | 175 | 4 | 171 | 3 | 167 | 2 | 163 | 1 | 152 |
| | 181 | | 180 | | 175 | | 170 | | 166 | | 162 | |
| 158 | 7 | 180 | 8 | 174 | 9 | 170 | 10 | 166 | 11 | 162 | 12 | 152 |
| | 179 | | 180 | | 174 | | 170 | | 166 | | 161 | |
| 158 | 18 | 179 | 17 | 173 | 16 | 169 | 15 | 165 | 14 | 161 | 13 | 152 |
| | 178 | | 179 | | 173 | | 169 | | 165 | | 161 | |
| 157 | 19 | 178 | 20 | 173 | 21 | 169 | 22 | 165 | 23 | 160 | 24 | 151 |
| | 177 | | 177 | | 172 | | 168 | | 164 | | 160 | |
| 157 | 30 | 177 | 29 | 172 | 28 | 168 | 27 | 164 | 26 | 159 | 25 | 151 |
| | 176 | | 176 | | 172 | | 167 | | 163 | | 159 | |
| 157 | 31 | 175 | 32 | 171 | 33 | 167 | 34 | 163 | 35 | 159 | 36 | 151 |
| | 150 | | 150 | | 150 | | 149 | | 149 | | 149 | |

T. 14N, R. 5E. 2nd Mer.

| | 192 | | 192 | | 191 | | 191 | | 191 | | 190 | |
|-----|---------|-----|---------|-----|---------|-----|---------|-----|---------|-----|-----|-----|
| 194 | 6 | 217 | 5 | 211 | 4 | 207 | 3 | 203 | 2 | 199 | 1 | 190 |
| | 217 | | 216 | | 211 | | 207 | | 202 | | 198 | |
| 194 | 7 | 216 | 8 | 210 | 9 | 206 | 10 | 202 | 11 | 198 | 12 | 189 |
| | 216 | | 215 | | 210 | | 206 | | 201 | | 197 | |
| 193 | 18 | 215 | 17 | 210 | 16 | 205 | 15 | 201 | 14 | 197 | 13 | 189 |
| | 213 | | 214 | | 209 | | 205 | | 201 | | 197 | |
| 193 | 19 | 213 | 20 | 209 | 21 | 205 | 22 | 200 | 23 | 196 | 24 | 189 |
| | 212 | | 214 | | 209 | | 204 | | 200 | | 196 | |
| 193 | 30 | 213 | 29 | 208 | 28 | 204 | 27 | 200 | 26 | 195 | 25 | 188 |
| | 212 | | 212 | | 208 | | 204 | | 199 | | 195 | |
| 192 | 31 | 211 | 32 | 207 | 33 | 203 | 34 | 199 | 35 | 194 | 36 | 188 |
| | 185-188 | | 185-188 | | 185-187 | | 185-187 | | 186-187 | | 186 | |

The figures on the lines refer to the page.

Township Lines.

South Boundary.

West on the S. Boundary of Sec. 36

11.50 a Beech 9 in. dia.

40.00 set of sec. post from which

a Beech 27 in. dia. bears S 43° W 5 1/2 Ms. dist. 1/2

a Spr 9 " " " N 79° E 13 " "

61.35 a Spr 12 " "

80.00 set post cor. of sec. 35 & 36 from which

a Water Beech 6 in. dia. bears S E 4 Ms. dist. 1/2

a Swamp Ash 24 " " " N 1° W 12 " "

Level land, timber Beech, Swamp Ash, Elm
& Upr. Spruce rather wet

West on the S. Boundary of Sec. 35

25.54 a Lym. 15 in. dia.

40.00 set of sec. post from which

a Beech 24 in. dia. bears N 67° E 2 1/2 Ms. dist. 1/2

a Spr 21 " " " S 21° E 16 " "

64.94 a Spr 14 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 24 in. dia. bears N 61° W 19 Ms. dist. 1/2

a Spr 10 " " " S 83° E 27 " "

Level wet land, timber as above noted.

West on the S. Boundary of Sec. 34

24.60 a Beech 15 in. dia.

28.76 a creek 150 Ms. wide course S W

40.00 set of sec. post from which

a Buckeye 12 in. dia. bears S 81° E 10 Ms. dist. 1/2

a W. Oak 8 " " " N 61° W 20 " "

62.20 a Branch 4 Ms. wide course S E

80.00 set post cor. of sec. 33 & 34 from which

T. 13 N., R. 5 E. 2. Mer. Ind. a

an Elm 6 in. dia. bears S 17 E 11 Ms. dist. 8,

a Beech 12 " " " N 29 W 22 " "

Level brushy wet land, timber Beech, Elm & Upr. Spruce, Dogwood &

West on the S. Boundary of Sec. 33

29.50 a Creek 50 Ms. wide runs S

31.54 a Swamp Ash 10 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 44 E 33 Ms. dist. 8

a Spr 14 " " " S 73 W 10 " "

63.30 a Spr 12 " "

80.00 set post cor. of Sec. 32 & 33 from which

a Beech 10 in. dia. bears S 12 E 10 Ms. dist. 8

an Elm 27 " " " N 20 E 5 " "

Level land, timber Beech, Ash, Elm & Upr. Spruce, Plum &

West on the S. Boundary of Sec. 32

40.00 set of sec. post from which

an Elm 24 in. dia. bears S 17 E 5 Ms. dist. 8

a Beech 10 " " " N 13 W 18 " "

67.60 a Spr 14 " "

80.00 set post cor. of Sec. 31 & 32 from which

an Ash 15 in. dia. bears S 8 E 10 Ms. dist. 8

a Beech 15 " " " N 54 E 29 " "

Land, timber & as last noted

West on the S. Boundary of Sec. 31

40.00 set of sec. post from which

a Beech 9 in. dia. bears N 5 E 11 Ms. dist. 8

a Poplar 6 " " " S 55 W 15 " "

72.80 to Township corner.

T. 13 N., R. 5 E. 2^d. Mer. Ind.^a

(Description of land &c. omitted)
July 30. 1819

East Boundary. Var. 6° 10' E

North on the E. Boundary of Sec. 36

40.00 set of sec. post from which

an Elm 6 in. dia. bears N 29 E 20 lbs. dist. &c.
in a bushy field

71.05 a Beech 21 in. dia.

80.00 set post cor. of sec. 25 & 36 from which

a W. Beech 7 in. dia. bears S 50 E 11 lbs. dist. &c.

an Ash 20 " " " N 17 W 15 " "

Level bushy land, timber Beech, Poplar &c.

Upr. Hazle, Briers &c. soil good

North on the E. Boundary of Sec. 25

32.65 a Beech 30 in. dia.

40.00 set of sec. post from which

a Hickory 29 in. dia. bears S 80 W 7 lbs. dist. &c.

a Beech 12 " " " S 88 E - " "

60.50 a Dr 20 " "

80.00 set post cor. of sec. 24 & 25 from which

a Hickory 20 in. dia. bears N 81 E 13 lbs. dist. &c.

an Ash 7 " " " S 70 W 15 " "

Level land, timber Beech, Ash, Sugar &c. Upr.

Spice, Briers &c. soil good

North on the E. Boundary of Sec. 24

3.80 a Branch 8 lbs. wide course S W

31.80 a Sugar 10 in. dia.

40.00 set of sec. post from which

a Beech 9 in. dia. bears N 67 E 8 lbs. dist. &c.

a Dr 12 " " " S 48 W 19 " "

T. 13 N., R. 5 E. 2. Mer. Ind.^a

66.40 a R. Oak 40 in. dia.

80.00 set part cor. of sec. 13 & 24 from which
a Beech 20 in. dia. bears N 52 E 23 Ms. dist. 8
a Do 12 " " " S 55 W 14 " "
Level land, timber as last noted, soil good

North on the E. Boundary of Sec. 13

18.80 a Beech 20 in. dia.

40.00 set q. sec. part from which
an Elm 9 in. dia. bears N 24 E 26 Ms. dist. 8
a Beech 10 " " " S 35 W 16 " "

50.50 a Creek 50 Ms. wide course S W

62.92 a Swamp Ash 14 in. dia.

80.00 set part cor. of sec. 12 & 13 from which
a Swamp Ash 12 in. dia. bears N 83 W 25 Ms. dist. 8
a Do 10 " " " N 56 E 23 " "
Land & timber as last noted

North on the E. Boundary of Sec. 12

27.30 a Beech 21 in. dia.

40.00 set q. sec. part from which
a Beech 24 in. dia. bears N 28 W 7 Ms. dist. 8
a Hickory 6 " " " S 41 E 11 " "

61.75 a Beech 16 " "

80.00 set part cor. of sec. 1 & 12 from which
a Beech 9 in. dia. bears N 43 W 10 Ms. dist. 8
a Do 36 " " " N 45 E 30 " "
Level land, timber Beech, Elm & Upr. Spruce &
rather wet

North on the E. Boundary of Sec. 1

17.88 a Beech 16 in. dia.

40.00 set q. sec. part from which

T. 13 N., R. 5 E. 2^d. Mer. Ind.^a

a Beech 21 in. dia. bears N 30 W 23 lbs. dist. 8

a Do 18 " " " S 43 E 36 " "

43.75 a Do 18 " "

67.55 set post cor. of T 13 & 14 N, R 5 & 6 E. from which

a Beech 9 in. dia. bears S 6 1/2 W 30 lbs. dist. 8

an Elm 6 " " " N 36 E 17 " "

Land, timber &c. the same as in the last mile

August 2. 1819

North Boundary.

Random Line. Var. 7.00. E.

East on the S. Boundary of Sec. 31, T 14 N, R 5 E

22.50 a Branch 5 lbs. wide course S E

34.81 an Ash 20 in. dia.

40.00 set temp. g. sec. post

63.26 a Beech 20 in. dia.

80.00 set post cor. of sec. 31 & 32

Ground flat, Beech, Sugar, Ash, Elm, Gum

East on the S. Boundary of Sec. 32, T 14 N, R 5 E

33.90 a Beech 25 in. dia.

40.00 set temp. g. sec. post

80.00 set post cor. of sec. 32 & 33

Ground flat, Beech, Sugar, Elm, Poplar,
Gum, Gum, Spice

East on the S. Boundary of Sec. 33, T 14 N, R 5 E

0 a Creek 40 lbs. wide course S W.

22.25 a Beech 18 in. dia.

40.00 set temp. g. sec. post

54.32 an Ash 25 in. dia.

80.00 set post cor. of sec. 33 & 34

Ground flat, timber as last noted

T. 13 N., R. 5 E. 2. Mer. Ind.^a

East on the S. Boundary of Sec. 34, T14 N, R5 E

3.90 an Ash 40 in. dia.

24.38 a Poplar 40 " "

30.00 enter Marsh, Branches &c

40.00 set temp. g. sec. post in E. edge of Marsh

80.00 set temp. post for cor. of sec. 34 & 35

Ground flat; Sugar, Ash, Elm, Popple, Sycamore,
Upr. Spice, Pawpaw. July 8. 1819

East on the S. Boundary of Sec. 35, T14 N, R5 E

17.13 a Beech 20 in. dia.

40.00 set temp. g. sec. post

46.80 to a branch of White River 100 yds. wide course S30 E

55.00 same, course NE

67.79 a Beech 22 in. dia.

76.00 a Creek 100 yds. wide course SE

80.00 set temp. post for cor. of sec. 35 & 36

Good farming land, Beech, Sugar, Ash, Hickory
& Upr. Spice

East on the S. Boundary of Sec. 36, T14 N, R5 E

11.84 an Ash 30 in. dia.

40.00 set temp. g. sec. post

49.25 a Beech 20 in. dia.

70.87 set post cor. of T. 13 & 14 N, R. 5 & 6 E.

Ground flat same as last, Beech, Ash, Oak,
Gum; Upr. Spice

Corrected Line. Var. 7. 06. E

West on the S. Boundary of Sec. 36, T14 N, R5 E

38.90 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Beech 15 in. dia. bears N45 E 15 yds. dist. 8

T. 13 N., R. 5 E. 2^d. Mer. Ind.

- a Beech 6 in. dia. beam S 41° W 25 lbs. dist.
- 53.00 a Creek 100 lbs. wide course S.
- 55.40 same, course E. & keep channel
- 80.00 set post in bank of said Creek cor. of sec. 35 & 36
from which
- a Sycamore 20 in. dia. beam S 72° E 15 lbs. dist. &
- a Do 21 " " " N 9° E 18 " "
- First 1/2 mile level land, 2 1/2 miles overflowed
bottom, timber Sycamore & Upr. Spice

- West on the S. Boundary of Sec. 35, T 14 N, R 5 E
- 2.50 same Creek, course S E
- 8.25 a Buckeye 15 in. dia.
- 40.00 set of sec. post from which
- a Beech 10 in. dia. beam S 10° E 23 lbs. dist. &
- a Do 6 " " " N 11° W 22 " "
- 47.65 a Do 30 " "
- 80.00 set post cor. of sec. 34 & 35 from which
- a Beech 10 in. dia. beam S 17° W 21 lbs. dist. &
- a Do 15 " " " N 60° E 37 " "
- Level land, timber Beech & Ash, Undergrowth
Spice & Plum &c.

- West on the S. Boundary of Sec. 34, T 14 N, R 5 E
- 21.50 an Elm 27 in. dia.
- 40.00 set of sec. post from which
- an Ash 36 in. dia. beam N 2° W 17 lbs. dist. &
- a Beech 24 " " " S 53° E 22 " "
- 47.65 a Do 21 " "
- 80.00 set post cor. of sec. 33 & 34 from which
- a Beech 14 in. dia. beam S 66° E 7 lbs. dist. &
- a Do 12 " " " N 77° W 34 " "
- Level land, timber as before noted.

T. 13 N., R. 5 E. T. Mer. Ind. a

West on the S. Boundary of Sec. 33, T14N, R5E
12.50 a Beech 15 in. dia.

40.00 Set of sec. post from which
a Beech 6 in. dia. lean S66E 14 lbs. dist. 8,
a Do 10 " " " N19W 17 " " "

43.30 a Branch 10 lbs. wide corner SE

57.50 a Beech 18 in. dia.

80.00 Set post cor. of sec. 32 & 33 from which
a Beech 15 in. dia. lean N69E 17 lbs. dist. 8,
a Do 12 " " " S72W 25 " " "
Level land, timber Beech, Elm, Ash & Wye.
Spice, Dogwood &c.

West on the S. Boundary of Sec. 32, T14N, R5E

24.35 a Beech 15 in. dia.

40.00 Set of sec. post from which
an Elm 6 in. dia. lean N51E 11 lbs. dist. 8,
a Beech 9 " " " S65W 22 " " "

51.80 a Do 14 " " "

80.00 Set post cor. of sec. 31 & 32 from which
a Beech 2 1/4 in. dia. lean N16W 11 lbs. dist. 8,
a Do 12 " " " S21E 27 " " "
Level land, timber as before noted.

West on the S. Boundary of Sec. 31, T14N, R5E

24.75 an Elm 30 in. dia.

40.00 Set of sec. post from which
a Beech 8 in. dia. lean S58W 13 lbs. dist. 8,
a Do 7 " " " N80E 13 " " "

70.87 to Township corner.

Level land, timber as before noted.

West Boundary. Var. 6' 00" E.

T. 13 N., R. 5 E. 2^d Mer. Ind.^a

North on the E. Boundary of Sec. 36, T13N, R4E.

18.88 an Ash 24 in. dia.

40.00 set of sec. post from which

a Sugar 10 in. dia. bears N43°W30 lbs. dist. 8

a Dr 10 " " " S60°E6 " "

55.44 an Ash 20 " "

80.00 set post cor. of sec. 25 & 36 from which

a Sugar 20 in. dia. bears S16°E31 lbs. dist. 8

a Beech 14 " " " N44°W26 " "

Over level land, timber Beech, Ash & Upr. Spruce

North on the E. Boundary of Sec. 25, T13N, R4E

31.94 an Ash 18 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. bears N14°E44 lbs. dist. 8

a Dr 18 " " " S45°W21 " "

69.25 a Dr 14 " "

80.00 set post cor. of sec. 24 & 25 from which

a Beech 14 in. dia. bears S67°W27 lbs. dist. 8

a Dr 20 " " " N61°E31 " "

Over good farming land, timber Ash, Beech, Sugar & Upr. Spruce

North on the E. Boundary of Sec. 24, T13N, R4E

25.77 a W. Oak 40 in. dia.

40.00 set of sec. post from which

a Beech 8 in. dia. bears S25°W8 lbs. dist. 8

a Dr 10 " " " N47°E8 " "

60.14 a Span. Oak 48 in. dia.

80.00 set post cor. of sec. 13 & 24 from which

a Beech 13 in. dia. bears S32°E33 lbs. dist. 8

a Dr 14 " " " N40°W21 " "

Over good farming land, timber as last noted

T. 13 N., R. 5 E. 2.^o Mer. Ind.^a

North on the E. Boundary of Sec. 13, T13N, R4E

14.20 a Beech 20 in. wide crown E

27.25 a Beech 12 in. dia.

40.00 Set g. sec. post from which

a Beech 12 in. dia bears S20E 24 in. dist. &

a Do 16 " " " N27W17 " "

59.83 a Do 14 " "

80.00 Set post cor. of sec. 12 & 13 from which

a Beech 22 in. dia bears S71E 15 in. dist. &

an Ash 20 " " " N86W27 " "

Over good farming land, timber Ash, Beech,
Sugar & Upr. Spruce

North on the E. Boundary of Sec. 12, T13N, R4E

23.85 an Ash 30 in. dia.

40.00 Set g. sec. post from which

a Beech 12 in. dia bears S24W16 in. dist. &

a — 6 " " " N28E 5 " "

61.35 a Beech 20 " "

80.00 Set post cor. of sec. 1 & 12 from which

a Beech 20 in. dia bears S51E 7 in. dist. &

a Do 13 " " " N18W29 " "

Over good farming land, timber Beech, Sugar,
Ash & Hardgr. Spruce

North on the E. Boundary of Sec. 1, T13N, R4E

12.50 a Bur Oak 48 in. dia.

40.00 Set g. sec. post from which

a Beech 12 in. dia bears S30E 24 in. dist. &

a Do 24 " " " N39W32 " "

73.38 Set post cor. of T. 13 & 14 N., R. 4 & 5 E. from which

a Walnut 48 in. dia bears N22E 27 in. dist. &

a Beech 10 " " " S40E18 " "

T. 13 N., R. 5 E. 2^d Mer. Ind.^a

Over good farming land, timber as last noted.
 Surveyed in 1819 by

John M.^c Donald
 Dep. Surveyor.

Subdivision.

North between Sec. 35 & 36, T13 N, R5 E

Tuesday 4th July 1820

0.11 an Ash 11 in. dia.

40.00 set of sec. post from which
 an Ash 5 in. dia. bears N 81 E 10 M. dist. 8
 a Do 18 " " " S 44 W 13 " "

58.89 a Beech 7 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which
 a Sugar 20 in. dia. bears N 88 E 4 M. dist. 8
 a Beech 3 " " " N 50 W 37 " "

Land level & wet 3^d rate, timber Beech, Ash,
 W. Oak, Sugar; Underbrush Spice &c.

East on Random between Sec. 25 & 36

40.00 set temp. of sec. post

78.00 Intersect E. Boundary 143 M. E. of post -
 First 1/2 mile wet 3^d rate, last 1/2 mile rolling
 2^d rate, timber Beech, Ash, W. Oak; Upr. Spice

West Corrected between Sec. 25 & 36

39.00 set of sec. post at aver. dist. from which
 a Beech 6 in. dia. bears S 80 E 25 M. dist. 15
 a Do 24 " " " S 64 W 822 " "

78.00 to Sec. cor.

North between Sec. 25 & 26

8.75 an Ash 6 in. dia.

T. 13 N., R. 5 E. 2^d Mer. Ind.^a

40.00 Set of sec. port from which

a Beech 8 in. diameter S 37 E 28 M. dist. 8

a No. 20 " " " N 46 W 14 " "

43.48 an Ash 15 " "

80.00 Set port cor. of sec. 23, 24, 25 & 26 from which

a W. Oak 18 in. diameter N 59 W 6 M. dist. 8

an Elm 6 " " " S 52 E 21 " "

Land level wet, perhaps creek bottom, Beech,
Ash, W. Oak, Hickory; Underbrush Spice, Pickle
Ash, Water Beech

East on Random between Sec. 24 & 25

40.00 Set temp. of sec. port

52.05 a Stream 7 M. wide course S W

77.57 Intersect E. Boundary 160 M. N. of port -

Land rolling & rate, timber as before noted

West Connected between Sec. 24 & 25

38.78 Set of sec. port at av. dist. from which

a W. Oak 4 in. diameter N 62 W 7 M. dist. 8

an Ash 6 " " " S 61 E 6 " "

77.57 to sec. cor.

North between Sec. 23 & 24

1.76 an Elm 36 in. dia.

40.00 Set of sec. port from which

a Beech 30 in. diameter S 25 E 19 M. dist. 8

an Elm 7 " " " N 11 W 19 " "

69.44 Sugar Creek 115 M. into course S W

80.00 Set port cor. of sec. 13, 14, 23 & 24 from which

a Hackberry 20 in. diameter N 86 W 11 M. dist. 8

a Hickory 14 " " " S 80 E 30 " "

First 1/2 mile inclining to wet, last 1/2 mile level

T. 13 N., R. 5 E. 2^d. Mer. Ind.^a

rich, Beech, Walnut

East on Random between Sec. 13 & 24

16.00 Sugar Creek 110 yds. wide course S W

40.00 set g. sec. post (temp.)

78.43 Intersect E. Boundary at post —

Land level & rich, timber as before noted.

West Connected between Sec. 13 & 2439.21 set g. sec. post at aver. dist. from which
a Maple 12 in. dia. bears N 45 W 19 lns. dist. 8

a Do 6 " " " S 78 E 16 " "

This corner is in a kind of Swamp

78.43 to Sec. cor.

North between Sec. 13 & 14

40.00 set g. sec. post from which

a Beech 6 in. dia. bears S 45 W 12 lns. dist. 8

a Do 8 " " " N 38 E 14 " "

42.20 a Do 6 " "

80.00 set post cor. of Sec. 11, 12, 13 & 14 from which

a Beech 15 in. dia. bears N 12 W 29 lns. dist. 8

a Hickory 20 " " " S 26 E 31 " "

Land 1¹/₂ mile level, last 1/2 mile rolling 1st
rate, Beech, Ash, Poplar, Sugar, Walnut
Upr. Spice

East on Random between Sec. 12 & 13

10.65 a Stream 8 yds. wide course S

40.00 set temp. g. sec. post

48.10 Sugar Creek 100 yds. wide course S

78.75 Intersect E. Boundary 15 1/2 yds. N. of post —

Land broken with Marshes, close Underbrush

T. 13 N., R. 5 E. 2^d. Mer. Ind.^a

2^d rate as before noted, Saturday 1st July 1820

West Corrected between Sec. 12 & 13

39.37 Set g^o sec. post at aver. dist. from which
a Buckeye 13 in. dis. bears N 34 E 42 lbs. dist. v. 8

a No 10 s s s S 64 W 18 s s

78.75 to sec. cor.

North between Sec. 11 & 12

23.28 a Water Beech 6 in. dis.

40.00 Set g^o sec. post from which

a Beech 5 in. dis. bears S 29 W 26 lbs. dist. .8

a No 10 s s s N 89 E 11 s s

42.30 all Hickory 20 s s

80.00 Set post cor. of Sec. 1, 2, 11 & 12 from which

a Beech 10 in. dis. bears S 14 W 6 lbs. dist. .8

a No 12 s s s N 40 E 9 s s

Land level 1st rate, Beech, Ash, Poplar, W. Oak,
Wyn. Spruce

East on Random between Sec. 1 & 12

28.20 Sugar Creek 125 lbs. wide near S W,

The Creek through this Township is rather wider
than in Town. 12, there being less current although
less water, sandy bottom & loose banks

80.00 Intersect E. Boundary 80 lbs. N. of post -

Land level 2^d rate, timber as before noted

West Corrected between Sec. 1 & 12

40.00 Set g^o sec. post at aver. dist. from which

a Beech 6 in. dis. bears N 15 W 15 lbs. dist. .8

a No 24 s s s S 31 E 22 s s

80.00 to sec. cor.

T. 13 N., R. 5 E. 2. Mer. Ind.^a

North between Sec. 1 & 2

13.83 a Beech 40 in. dia.

40.00 set of sec. post from which

a Beech 3 in. dia. bears S 21 E 10 lbs. dist. 8

a Do 10 " " " N 61 W 21 " "

40.98 a Do 6 " "

46.50 an Ash 20 " "

56.50 Sugar Creek 120 lbs. wide course S E

64.10 a Stream 50 lbs. wide course W

65.00 Intersect N. Boundary at post -

Land level, on the last 1/2 mile is a small Swamp
 3^d rate - 1st 1/2 miles 2^d rate, timber Beech,
 Ash, Poplar, W. Oak. Underbrush Spice

North between Sec. 34 & 35

3.07 a Hackberry 34 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 52 W 19 lbs. dist. 8

an Elm 17 " " " N 33 E 26 " "

56.25 a Beech 4 " "

60.52 a Sugar 14 " "

80.00 set post cor. of sec. 20, 27, 34 & 35 from which

a Beech 10 in. dia. bears S 30 W 10 lbs. dist. 8

a Do 18 " " " N 32 E 20 " "

Land rolling rich 1st rate, Beech, Ash, Poplar, Sugar
 Wp. Spice

East on Random between Sec. 26 & 35

40.00 set temp. of sec. post

80.50 Intersect N. & S. line 19 lbs. N. of post -

Land rolling, soil thin, Beech, Ash, Poplar;
 Wp. Spice, Green Briars

T. 13 N., R. 5 E., 2^d Mer. Ind.^a

West Connected between Sec. 26 & 35

40.25 set of sec. post at aver. dist. from which
 a Beech 6 in. diam. S 9 E 6 lbs. dist. 18
 " Do 12 " " " N 17 E 36 " "
 80.50 to sec. cor.

North between Sec. 26 & 27

2.07 a Beech 4 in. dia.
 8.02 a Do 10 " "
 20.00 a Bayou which continues in places to the 1st sec. cor.
 40.00 set of sec. post from which
 a Buckeye 12 in. diam. S 81 W 35 lbs. dist. 18
 a Thorn 6 " " " N 52 E 31 " "
 41.39 a Hackberry 7 " "
 54.89 Sugar Creek 135 lbs. wide course N W. dead water
 80.00 set post cor. of sec. 22, 23, 26 & 27 from which
 a Buckeye 5 in. diam. S 36 W 13 lbs. dist. 18
 an Ash 10 " " " N 77 E 5 " "
 Land level, 1st 1/2 mile much broken with ponds,
 last 1/2 mile rich, Beech, Ash, Poplar, Upr. Spice

East on Random between Sec. 23 & 26

29.00 Sugar Creek 100 lbs. wide course S
 40.00 set temp. of sec. post
 79.81 Intersect N & S line 50 lbs. S. of post—
 Land level rich, but much of the creek bottom
 overflows, Beech, Ash, Poplar, Upr. Spice
 Monday 3^d July 1820

West Connected between Sec. 23 & 26

39.90 set of sec. post at aver. dist. from which
 a Hickory 4 in. diam. N 24 E 11 lbs. dist. 18
 a Hackberry 12 " " " S 80 E 21 " "

T. 13 N., R. 5 E. 2. Mer. Ind.^a

79.81 to Sec. cor.

North between Sec. 22 & 23

18.78 a Beech 10 in. dia.

23.20 a Walnut 24 " "

30.00 a Beech 20 " "

40.00 set g. sec. post from which

a Beech 12 in. dia. bears S 13 E 13 lbs. dist. 8

a Sugar 14 " " " N 29 W 26 " "

40.88 an Ash 12 " "

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

a W. Oak 24 in. dia. bears S 75 E 7 lbs. dist. 8

an Ash 4 " " " N 76 W 17 " "

Land a little rolling good 2. rate, Beech, Ash,
Poplar, Sugar - Uly. Spice

East on Random between Sec. 14 & 23

40.00 set temp. g. sec. post

79.83 Interest N & S line 63 lbs. S. of post -

Land level 2. rate, timber as before noted

West Connected between Sec. 14 & 23

39.91 set g. sec. post at aver. dist. from which

a Beech 16 in. dia. bears S 64 E 16 lbs. dist. 8

a Pawpaw 4 " " " N 47 W 7 " "

79.83 to Sec. cor.

North between Sec. 14 & 15

12.42 a Hickory 12 in. dia.

40.00 set g. sec. post from which

a Beech 14 in. dia. bears S 71 W 9 lbs. dist. 8

a Do 12 " " " S 64 E 9 " "

47.78 a W. Oak 16 " "

T. 13 N., R. 5 E. 2^d. Mer. Ind^a.

80.00 set post cor. of sec. 10, 11, 14 & 15 from which
an Ash 5 in. dia. bears S 19° W 3 1/2 m. dist. 1/8

a Do 15 " " " N 42° E 3 1/2 " "

Land level inclining to wet 3^d rate, Beech, Ash,
W. Oak; Underwood Spice, Ash, Prickly Ash &c.

East on Random between Sec. 11 & 14

40.00 set temp. g. sec. post

79.19 Intersect N & S. line 8 m. N. of post -

Land level inclining to wet 3^d rate, timber as before

West Connected between Sec. 11 & 14

39.59 set g. sec. post at aver. dist. from which

a Beech 12 in. dia. bears S 65° E 10 m. dist. 1/8

an Ash 10 " " " S 86° W 15 " "

79.19 to sec. cor.

North between Sec. 10 & 11

40.00 an Ash 30 in. dia. stands for g. sec. cor. from which

a Maple 12 in. dia. bears S 76° W 7 1/2 m. dist. 1/8

a Do 24 " " " S 45° E 33 " "

72.04 an Ash 4 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Hickory 11 in. dia. bears N 42° E 19 m. dist. 1/8

an Ash 4 " " " S 89° W 26 " "

Land level wet 3^d rate, Beech, Ash, W. Oak, Under-
wood Spice, Ash, Prickly Ash

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. post

78.00 Intersect N & S. line 7 1/2 m. E. of post -

Land level, 1st 1/2 mile wet 3^d rate, last 1/2 mile 2^d rate
timber as before noted

T. B. N., R. 5 E. 2. Mer. Ind.^a

West Canceled between Sect. 2 & 11

39.00 set of sec. port at aver. dist. from which
 a Hickory 14 in. dia. bears N 50 E 18 lbs. dist. 8
 an Ash 20 " " " S 9 W 6 " "

78.00 to sec. cor.

North between Sect. 2 & 3

27.46 an Elm 15 in. dia.

40.00 set of sec. port from which
 a Beech 14 in. dia. bears S 70 W 5 lbs. dist. 8
 a Do 5 " " " N 33 E 11 " "

57.50 a Do 18 " "

64.16 Intersect N. Boundary 198 lbs. E. of port -
 set port at intersection cn. of sect. 2 & 3 from which
 a Beech 12 in. dia. bears N 20 W 18 lbs. dist. 8
 an Ash 24 " " " S 25 E 25 " "
 Land rolling S. rate, Beech, Ash, Poplar,
 W. Oak; Wpn. Spice, Pawpaw &c.
 Tuesday 4th July 1820

North between Sect. 33 & 34

23.65 a Beech 20 in. dia.

40.00 set of sec. port from which
 a Beech 12 in. dia. bears S 41 W 10 lbs. dist. 8
 a Do 6 " " " S 67 E 21 " "

69.00 an Ash 20 " "

80.00 set port cn. of sect. 27, 28, 33 & 34 from which
 a Beech 12 in. dia. bears N 40 E 13 lbs. dist. 8
 a Do 18 " " " S 69 W 19 " "
 Land level good S. rate, Beech, Ash, Sugar
 Underwood Spice &c.

East on Random between Sect. 27 & 34

T. 13 N., R. 5 E. S. Mer. Ind.^a

40.00 set temp. g. sec. port

54.00 Sugar Creek 85 lbs. under corner S.

80.00 Intercept N & S line 72 lbs. S. of port -

Land level 2^d rate, timber Beech, Ash, Poplar,
W. Oak; Underbrush very close Spice, Ash &c.

West Connected between Sec. 27 & 34

40.00 set g. sec. port at aver. dist. from which

a Beech 20 in. diameter S 62 E 26 lbs. dist. 8,

and Ash 15 " " " N 70 E 22 " "

80.00 to sec. cor.

North between Sec. 27 & 28

31.00 a Beech 10 in. dia.

40.00 set g. sec. port from which

a Poplar 12 in. diameter S 77 W 11 lbs. dist. 8,

and Ash 6 " " " N 22 E 10 " "

47.10 an Elm 36 " "

80.00 set port cor. of sec. 21, 22, 27 & 28 from which

a Beech 20 in. diameter S 23 W 13 lbs. dist. 8,

and Dr 6 " " " S 68 E 27 " "

Land level & rich 1st rate, timber Beech, Ash,
Poplar, much Spice & a large growth

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. port

81.09 Intercept N & S line 76 lbs. S. of port -

Land 1st & 1/2 mile rolling good 2^d rate, last 1/2 mile
1st rate, Hickory, Ash, Walnut & some Beech
much Spice. Wednesday 5th July 1820

West Connected between Sec. 22 & 27

40.34 set g. sec. port at aver. dist. from which

comp.

T. 13 N., R. 5 E. 2^d. Mer. Ind.^a

a Beech 20 in. dia. bears N 70° W 10 lbs. dist. 8

a Dr 7 " " " S 46° E 23 " "

80.09 to sec. cor.

North between Sec. 21 & 22

6.60 a W. Oak 36 in. dia.

40.00 set g. sec. post from which

a Beech 30 in. dia. bears N 44° W 4 lbs. dist. 8

a Dr 8 " " " S 9° E 23 " "

66.03 an Ash 10 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

a Beech 6 in. dia. bears N 70° E 8 lbs. dist. 8

a Dr 18 " " " S 20° W 11 " "

Land level good 2^d rate, timber as before noted

East on Random between Sec. 15 & 22

40.00 set temp. g. sec. post

80.39 Intersect N & S line 53 lbs. E. of post -

Land level inclining to wet 3^d rate, Beech, Ash,
 Hickory, W. Ash; Upr. Spruce, Picketly Ash &c.

West Connected between Sec. 15 & 22

40.19 set g. sec. post at aver. dist. from which

a Poplar 48 in. dia. bears S 80° W 3 lbs. dist. 8

a Beech 18 " " " N 24° E 19 " "

80.39 to sec. cor.

North between Sec. 15 & 16

11.03 a Beech 10 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia. bears S 32° E 16 lbs. dist. 8

a Dr 12 " " " N 27° W 36 " "

50.80 a Dr 10 " "

T. 13 N., R. 5 E. 2. Mer. Ind.?

61.00 a Beech 18 in. dia.

80.00 set port cor. of sec. 9, 10, 15 & 16 from which
a Beech 15 in. dia. bears S 46 E 30 lbs. dist. 8,
an Ash 3 " " " N 26 W 12 " "
Land level 2 rate, Beech, Ash, Poplar

East on Random between Sec. 10 & 15

40.00 set temp. g. sec. port

79.84 Entered N. S. line 74 lbs. N. of port -
Land level & wet 3 rate, Beech, Ash, Hickory,
Wye, Spice

West bounded between Sec. 10 & 15

39.92 set g. sec. port at aver. dist. from which
a Beech 6 in. dia. bears N 54 W 16 lbs. dist. 8,
a Do 12 " " " S 12 E 24 " "

79.84 to sec. cor.

North between Sec. 9 & 10

20.40 a Beech 10 in. dia.

40.00 set g. sec. port from which
a Beech 10 in. dia. bears N 40 E 32 lbs. dist. 8,
an Elm 5 " " " S 8 E 27 " "

80.00 set port cor. of sec. 3, 4, 9 & 10 from which
a Beech 5 in. dia. bears N 36 W 22 lbs. dist. 8,
an Ash 5 " " " S 41 E 17 " "
First 1/2 mile level 2 rate, last 1/2 mile rolling
beech, roots high timber as before.
(Understand it who can)

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. port

80.24 Entered N. S. line 20 lbs. S. of port -

T. 13 N., R. 5 E., 2^d Mer. Ind.^a

Land level, soil thin, part wet & part fallen
timber, Beech, Ash, W. Oak; Underbrush Spice,
Ash, Bickley Ash, Water Beech &c.

West Connected between Sec. 23 & 10

40.12 Set of sec. port at aver. dist. from which
a Maple 3 in. diam. S 28° W 19 lbs. dist. 8
an Elm 3 " " " N 16° W 12 " "

80.24 to sec. cor.

North between Sec. 3 & 14

18.17 a Beech 10 in. dia.

40.00 Set of sec. port from which
a Beech 6 in. diam. N 54° W 20 lbs. dist. 8
a Dr 22 " " " S 74° E 21 " "

41.25 an Ash 30 " "

62.04 Intersect N. Boundary at port - from which
a Beech 12 in. diam. S 62° E 6 lbs. dist. 8
a Dr 12 " " " N 77° W 36 " "
Land level 2^d rate, timber as before noted
Thursday 6th July 1820

North between Sec. 32 & 33

9.24 a Beech 20 in. dia.

40.00 Set of sec. port from which
a Beech 14 in. diam. S 17° E 34 lbs. dist. 8
a Dr 24 " " " N 10° E 43 " "

51.21 a Dr 10 " "

56.08 a Dr 20 " "

80.00 Set port cor. of sec. 28, 29, 32 & 33 from which
a Beech 6 in. diam. N 30° E 28 lbs. dist. 8
a Dr 8 " " " S 48° W 7 " "
Land level 2^d rate, timber Beech, Ash, Sugar,

T. B. N., R. 5 E. 2. Mer. Ind. a.

Hudonwood Spice which is very close, nettles & green Briers plenty

East on Random between Sec. 28 & 33

17.00 a Stream 100 yds. wide course SE

40.00 set temp. g. sec. port

40.80 a Stream 120 yds. wide course S

77.25 Intersect N. & S. line 100 yds. S. of port -

Land level, 1st 1/2 mile S. rate, last 1/2 mile 1st rate, timber as before noted

West connected between Sec. 28 & 33

38.62 set g. sec. port at aver. dist. from which

a Sugar 6 in. dia. bears N 57° W 70 yds. dist. &

a Hickory 6 " " " N 69° E 21 " "

77.25 to sec. cor.

North between Sec. 28 & 29

6.13 a Beech 11 in. dia.

40.00 set g. sec. port from which

a Beech 5 in. dia. bears N 62° W 60 yds. dist. &

a Do 4 " " " N 84° E 4 " "

57.57 a Do 5 " "

80.00 set port cor. of Sec. 20, 21, 28 & 29 from which

a Beech 16 in. dia. bears S 18° E 70 yds. dist. &

an Ash 3 " " " S 88° W 16 " "

Land level very brushy 2nd rate, Beech, Ash, W. Oak, Poplar, Sugar, Upr. Spice, Pawpaw

East on Random between Sec. 21 & 28

40.00 set temp. g. sec. port

55.00 a wet weather stream, course S

77.30 Intersect N. & S. line 110 yds. N. of port -

Land level 2^d rate

West Correlated between Sec. 21 & 28

38.65 set of sec. port at aver. dist. from which
 a Dogwood 5 in. dia. bears S 75° W 19 lbs. dist. 8
 a Beech 12 " " " N 63° E 17 " "

77.30 to sec. cor.

North between Sec. 20 & 21

9.07 an Ash 30 in. dia.

40.00 set of sec. port from which
 a Water Beech 5 in. dia. bears N 29° W 9 lbs. dist. 8
 an Elm 11 " " " S 85° E 17 " "

54.85 a Dr 30 " "

80.00 set port cor. of Sec. 16, 17, 20 & 21 from which
 a Beech 11 in. dia. bears S 22° E 4 lbs. dist. 8
 an Ash 10 " " " N 4° W 16 " "

Land level inclining to wet 3^d rate, timber
 Beech, Ash, Hickory, Upr. Spice, P. Ash

East or Random between Sec. 16 & 21

40.00 set temp. of sec. port

77.00 Intersect N & S line 84 lbs. N. of port -

Land level inclining to wet 3^d rate, Beech,
 Ash, Elm & Underwood Spice, P. Ash

West Correlated between Sec. 16 & 21

38.50 set of sec. port at aver. dist. from which
 a Beech 6 in. dia. bears S 55° E 14 lbs. dist. 8
 a Dr 18 " " " N 39° W 24 " "

77.00 to sec. cor.

North between Sec. 16 & 17

T. 13 N., R. 5 E. 2^d Mer. Ind.^a

- 6.34 an Elm 18 in. dia.
 40.00 set g. sec. post from which
 a Beech 12 in. dia. bears N 22 E 23 lbs. dist. 8
 an Elm 4 " " S 25 E 29 " "
 58.58. a Beech 8 " "
 70.10 a Do 18 " "
 80.00 set post cor. of sect. 8, 9, 16 & 17 from which
 a Beech 12 in. dia. bears S 44 W 10 lbs. dist. 8
 a Do 9 " " S 44 E 48 " "
 Land level, first 1/2 mile inclining to wet, soil thin
 Brate, Beech, Ash, W. Oak, Hickory; Underbrush
 Spice, Prickly Ash &c.
-

East on Random between Sect. 9 & 16

- 40.00 set temp. g. sec. post
 77.14 Intersect N & S. line 138 lbs. N. of post -
 Land level sweet Brate, timber as before noted,
 Underbrush Spice, Prickly Ash &c.
-

West Connected between Sect. 9 & 16

- 38.57 set g. sec. post at aver. dist. from which
 an Ash 8 in. dia. bears S 10 W 16 lbs. dist. 8
 a Do 6 " " N 15 W 28 " "
 77.14 to sec. cor. Friday, 7th July 1820
-

North between Sect. 8 & 9

- 39.06 a Hickory 7 in. dia.
 40.00 set g. sec. post from which
 a Beech 10 in. dia. bears N 37 W 21 lbs. dist. 8
 a Water Beech 6 " " S 32 W 16 " "
 52.10 an Ash 10 " "
 80.00 set post cor. of sect. 4, 5, 8 & 9 from which
 a W. Oak 18 in. dia. bears N 60 W 14 lbs. dist. 18

T. 13 N., R. 5 E. 2^d. Mer. Ind^a.

an Ash 8 in. diam. bears N 32 E 4 lbs. dist.
 Land level 2^d. rate, Beech, Ash, W. Oak, Hickory,
 Underbrush Spice, Prickly Ash &c.

East on Random between Sect. 4 & 9

40.00 set temp. g. sec. port

77.18 Intersect N. & S. line 270 lbs. N. of port -

Land level port wet 2^d. rate, timber as before noted

West Connected between Sect. 4 & 9

38.59 set g. sec. port at aver. dist. from which

a W. Oak 24 in. diam. bears N 29 W 11 lbs. dist. &

a Beech 10 " " South 21 " "

77.18 to sec. port

North between Sect. 4 & 5

4.05 an Ash 12 in. dia.

40.00 set g. sec. port from which

a Beech 20 in. diam. bears S 52 W 11 lbs. dist. &

a Do 18 " " " N 33 E 27 " "

53.32 a Do 5 " "

59.10 Intersect N. Boundary 154 lbs. E. of port -

set port at intersection cen. of Sect. 4 & 5 from which

a Beech 18 in. diam. bears N 53 W 16 lbs. dist. &

an Elm 10 " " " S 59 E 32 " "

First 1/2 mile level, last 1/2 mile rolling, soil thin,
 timber Beech, Ash, Hickory, W. Oak; Upr. Spice
 no water except occasionally a little standing
 in wet weather, drafts of which there are many

North between Sect. 31 & 32

13.05 a Beech 10 in. dia.

40.00 set g. sec. port from which

T. 13 N., R. 5 E. 2. Mer. Ind. a

a Water Beech 5 in. diameter S 85 E 60 ft. dist. 8
 a Hickory 5 " " " S 88 W 12 " "
 52.88 a Beech 30 " "
 80.00 set post cor. of sec. 29, 30, 31 & 32 from which
 a Beech 30 in. diameter N 21 W 13 ft. dist. 8
 an Ash 5 " " " S 77 W 19 " "
 Land level S. rate, Beech, Ash, W. Oak, Spice

West between Sec. 30 & 31

33.35 a B. Oak 60 in. dia.
 40.00 set g. sec. post from which
 a Beech 8 in. diameter S 71 W 10 ft. dist. 8
 a S 12 " " " S 40 E 20 " "
 46.20 a S 30 " "
 70.00 Intersect W. Boundary 173 ft. N. of post -
 set post at intersection cor. of sec. 30 & 31 from which
 a Cherry 4 in. diameter S 64 E 19 ft. dist. 8
 a Beech 24 " " " S 60 W 4 " "
 Land level S. rate, Beech, Ash, W. Oak; Under-
 brush Spice. No water

East on Random between Sec. 29 & 32

40.00 set temp. g. sec. post
 78.50 Intersect N. 2 S. line 220 ft. S. of post -
 Land level, post inclining to wet S. rate, timber
 as before noted. Saturday 8th July 1826

West Connected between Sec. 29 & 32

39.25 set g. sec. post at aver. dist. from which
 a Beech 30 in. diameter S 80 E 60 ft. dist. 8
 a S 16 " " " S 88 W 25 " "
 78.50 to sec. cor.

T. 13 N., R. 5 E. 2^d. Mer. Ind.^a

North between Sec. 29 & 30

44.75 a Beech 22 in. dia.

40.00 set of sec. port from which

a Beech 8 in. dia. bears N 62° W 13 lbs. dist. 8

a Do 5 " " " N 54° E 24 " "

44.48 an Ash 11 " "

80.00 set port cor. of sec. 19, 20, 29 & 30 from which

a Beech 13 in. dia. bears S 60° W 3 lbs. dist. 8

a Do 12 " " " N 54° E 36 " "

Land level, inclining to wet, soil thin, Beech,
Ash, W. Oak, Hickory, Poplar; Underwood, Spice,
Ash, Prickly Ash &c.

West between Sec. 19 & 30

16.48 a Beech 12 in. dia.

19.70 a Do 18 " "

40.00 set of sec. port from which

a Maple 12 in. dia. bears N 45° E 7 lbs. dist. 8

an Elder 6 " " " S 9° E 23 " "

44.95 a Beech 12 " "

51.35 a Do 30 " "

71.33 Intersection W. Boundary 200 Ms. N. of port -

set port at intersection cor. of sec. 19 & 30 from which

a Beech 6 in. dia. bears S 39° W 5 lbs. dist. 8

a Do 6 " " " N 4° W 8 " "

Land a little rolling 2^d rate, Beech, Ash, W. Oak,
Upr. Spice, Prickly Ash &c.

East on Random between Sec. 20 & 29

40.00 set temp. of sec. port

77.86 Intersection N & S. line 104 Ms. S. of port -

Land level, soil thin, Beech, Ash, W. Oak; Upr.

Spice, Prickly Ash &c. Sunday 9th July 1820

T. 13 N., R. 5 E. 2^d Mer. Ind.^a

West Connected between Sect. 20 & 29

38.93 set g^r. sec. post at aver. dist. from which
 a Beech 12 in. dia. bears N 60° W 23 lbs. dist. 8
 a Do 6 " " " S 9 E 16 " "
 77.86 to sec. cor.

North between Sect. 19 & 20

26.70 a Beech 22 in. dia.

40.00 set g^r. sec. post from which
 a Beech 15 in. dia. bears S 37° W 15 lbs. dist. 8
 a Do 4 " " " N 45 E 4 " "

56.45 a Do 24 " "

66.18 an Ash 24 " "

80.00 set post cor. of Sect. 17, 18, 19 & 20 from which
 a Thorn 4 in. dia. bears N 2° W 5 lbs. dist. 8
 an Elm 6 " " " S 85° W 19 " "
 Land level good 2^d rate, timber Beech, Ash,
 Poplar; Wyp. Spice

West between Sect. 18 & 19

21.00 a Beech 5 in. dia.

40.00 set g^r. sec. post from which
 a Beech 6 in. dia. bears S 31 E 21 lbs. dist. 8
 a Do 11 " " " N 5 E 14 " "

55.25 a Stream 10 lbs. wide course S

56.60 a Beech 18 in. dia.

71.30 Intersect W. Boundary 440 lbs. N. of post -
 set post at intersection cor. of Sect. 18 & 19 from which
 a Beech 5 in. dia. bears N 76° W 24 lbs. dist. 8
 a Do 10 " " " S 35 E 10 " "
 Land level, 1st 1/2 mile bottom 1st rate, fast 1/2
 mile good 2^d rate, Beech, Ash, Elm, Hackberry
 Wyp. Spice

T. B. N., R. 5 E. 2. Mer. Ind.^a

East in Random between Sec. 17 & 20

40.00 set temp. g. sec. port

77.00 Intersect N & S line 317 lbs. S. of port -

Land level 2. rate, timber Beech, Ark, W. Oak,
Underbrush Spice &c.

West Corrected between Sec. 17 & 20

38.50 set g. sec. port at aver. dist. from which
a Beech 15 in. diam. S 46 E 25 lbs. dist. 8
a Do 12 " " " S 40 W 18 " "

77.00 to sec. cor.

North between Sec. 17 & 18

15.04 a Beech 10 in. dia.

32.20 a W. Oak 12 " "

40.00 set g. sec. port from which
a Beech 30 in. diam. S 44 E 37 lbs. dist. 8
a Do 15 " " " N 11 W 16 " "

44.50 a wet weather stream, course unknown

49.90 a Beech 18 in. dia.

80.00 set port cor. of sec. 7, 8, 17 & 18 from which
a Beech 12 in. diam. N 74 W 3 lbs. dist. 8
an Ark 20 " " " S 46 E 8 " "Land level, 1st 1/2 mile 2. rate - last 1/2 mile with
thin Beech roots high timber as before (?!)

West between Sec. 7 & 18

30.95 a Beech 8 in. dia.

40.00 set g. sec. port from which
a Beech 4 in. diam. S 70 E 14 lbs. dist. 8
a Do 7 " " " S 38 W 26 " "

44.90 a Do 20 " "

70.59 Intersect W. Boundary 695 lbs. N. of port -

T. 13 N., R. 5 E. 2^d Mer. Ind.^a

set post at intersection cor. of sec. 7 & 18 from which
 a Beech 16 in. dia. bears S 30 E 4th . dist. 8
 a Water Beech 7 " " N 16 W 26 " "
 Sand level, soil thin, timber principally Beech
 Upr. Spice

East on Random between Sec. 8 & 17

40.00 set trap. g. sec. post

77.19 Intersect. N. S. line 325th . S. of post -

Sand level 2^d rate, Beech, Ark, Poplar; Underbrush
 Spice, Prickly Ark

West corrected between Sec. 8 & 17

38.59 set g. sec. post at aver. dist. from which

a Beech 5 in. dia. bears S 79 E 3th . dist. 8

an Ark 5 " " N 72 W 11 " "

77.19 to sec. cor.

North between Sec. 7 & 8

7.70 a Beech 18 in. dia.

27.80 a Do 15 " "

40.00 set g. sec. post from which

a Beech 8 in. dia. bears S 35 W 36th . dist. 8

a Do 10 " " N 3 E 9 " "

46.88 a Do 18 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a Beech 12 in. dia. bears S 56 W 15th . dist. 8

a Do 9 " " N 28 E 25 " "

Sand level, soil thin 2^d rate, timber Beech
 generally, Underwood Spice, no water

East on Random between Sec. 5 & 8

40.00 set trap. g. sec. post

T. 13 N., R. 5 E., 2^d. Mer. Ind.^a

77.30 intersect N. S. line 250 Yds. S. of port -
Land level 2^d. rate, Beech, Ash, Poplar, Hickory
Wly. Spice. Monday 10th July 1820

West Connected between Sec. 5 & 8

38.65 set q. sec. post at aver. dist. from which
a Beech 12 in. dia. bears S 78 E 5 Yds. dist. &
an Ash 20 " " " N 46 W 23 " "

77.30 to sec. cor.

West between Sec. 6 & 7

7.22 a Beech 12 in. dia.

15.84 a Do 30 " "

40.00 set q. sec. post from which
a Beech 20 in. dia. bears N 80 W 11 Yds. dist. &
a Do 16 " " " S 28 W 24 " "

44.67 a Do 24 " "

69.56 Intersect N. Boundary 736 Yds. N. of port -
set post at intersection cor. of sec. 6 & 7 from which
an Ash 5 in. dia. bears S 31 E 2 Yds. dist. &
a Do 5 " " " N 34 E 14 " "
Land level, soil thin, Beech, Ash, Poplar,
W. Oak - Wly. Spice

North between Sec. 5 & 6

11.70 an Elm 30 in. dia.

40.00 set q. sec. post from which
a Beech 4 in. dia. bears N 27 E 7 Yds. dist. &
a Do 5 " " " S 55 W 13 " "

43.45 a R. Oak 36 " "

62.22 Intersect N. Boundary 226 Yds. E. of port -
set post at intersection cor. of sec. 5 & 6 from which
a Beech 15 in. dia. bears S 33 E 12 Yds. dist. &

T. 13 N., R. 5 E. 2^d Mer. Ind.^a

a Beech 30 in. dia. leans N 80° W 30 lbs. dist.

First $\frac{1}{2}$ mile level good 2^d rate, last $\frac{1}{2}$ mile rolling soil thin, Beech roots high Ash, Poplar, White, Spice Upr.

This Township has too much 3^d rate land and is badly watered, although there are many wet weather drafts which at present have no water, and running so flat do not give the course they make, originating mostly in marshy flats.

Tuesday, 11th July 1820.

Subdivided at Var. 6° 15' E. by

John Hendricks

Dep. Surveyor.

I certify that the foregoing transcript of Field Notes of the survey of Township N. 13 North, in Range N. 5 East of the 2^d Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, March 9. 1842.

E. P. Rains
Sur. Genl.